INFINITY

naturally curryred floor

INFINITY – modern parquetry with biophilic design.

Parquetry is a geometric mosaic of wood used for decorative effect. The notion of biophilia posits an inherent human inclination to affiliate with nature essential to people's physical and mental health, productivity and wellbeing.

"Infinity" is a surface covering system that follows the shapes of Nature enabling to improve appearance of floors, providing for a biophilic design and aesthetic atmosphere in the modern urban indoors.





The system consists of a set of non-straight shaped panels, jointed by tongue and groove locking system. Correctly interconnected panels form a system. The adjacent systems are interconnected to form a unique looking surface.

The edges and ends of panels are profiled to allow intercoupling of the adjacent panels. The profiles prevent movement of the panels in vertical and horizontal plane.

During the installation of systems, every next system should be installed with a shift for previous one. Thus, flooring looks unique and every board looks different.



TECHNICAL INFORMATION

WOOD SPECIES OPTIONS



ABC

SURFACE TREATMENT OPTIONS



Matt Lac 15-20% gloss, No Brush

Extra Matt Lac

5% gloss



Matt Lac 15-20% gloss, Brush



UV-Oil



Stained Filler



Dark Filler



Moderate color variation is allowed. Occasional sapwood up to 30mm width, healthy and fallen out repaired knots diam. below 35mm, filled cracks < 50mm

BCD



Higher color variation allowed. Occasional sapwood up to 50mm width, unlimited healthy knots and fallen out repaired knots diam. below 60mm, filled cracks < 150mm

WALNUT



COLORS

infinity collection

















DUSKY GREY













PACKING

Infinity system is packed in bundles of panels. Same shapes are packed in one bundle. Each bundle is neatly packaged; has 20 – 25 kg weight; has ~80 mm high carton edged, shrink wrapped. Packaged bundles are stacked max. 5 boxes wide x 12 boxes high on 100 mm skids, covered with hardboard and bundled with plastic straps.

INQUIRY PROCESS

1. Provide estimated project quantity with grading and surface treatment option

According to provided information offer will be prepared
After price is confirmed please send .DWG file of the room layout where

3. After price is confirmed please send .D' flooring be installed with

flooring direction marked

4. Calculating total project quantity including wastes

5. Signing a contract / production start

6. Estimated production time depending on situation is 6-12 weeks

FLOOR PLAN LAYOUT







Technomar & Adrem AS Vana-Narva mnt 22, 74114

Tel. +372 603 4865 +372 603 4896

Fax +372 603 4844 +372 603 4845

www.estaparket.eu info@estaparket.eu

